

InKnow Alert Notify Module

IKA-RS232 💽

Alert via LINE notify application

Innovation and easy operation

RS232 interface

Real-Time Data logger Max. 3 Month

Heavy Duty & Compact



The Inknow alert notify module for Fire Alarm Control Panel InKnow IKA-RS232 is ideal for monitoring fire alarm in factory. The IKA-RS232 also monitors building climate continuously and securelu. The free inknow smart sustem allows fast configurable of the overall operation and easy.

The low-cost notify module IKA-RS232 guarantees secure alert results on the basis of state-of-the-art alert technology. via Line Notify app on smartphone

www.pm-io.com

Technical data



Mechanical Specification

Dimensions:

Height: 950 mm Width: 105 mm Depth: 250 mm



Serial interface : Serial interface number: 1 port RS-232 RS-232 signal: TXD,RXD,GND Parity bit: None, Even, Odd, Mark Data bit: 7bit,8bit Baud rate: 600bps~115200bps Stop bit: 1,2 Transmission: 15M Interface type: RS-232 side 3 bit terminal block Note: Not Support Flow control : RTS/CTS Xon, Xoff

Countries and regions where LINE Notify is currently supported: Japan, U.S.A., Canada, EU, Norway, Switzerland, Turkey, Russia, Singapore, Thailand, Vietnam, and India



www.pm-io.com

Configuration

Computer PC

Operating Procedure

Setting conditions

Use your Windows PC to set and send message conditions, such as the recording interval, to the notify module to begin detected.





Data Collection

Collect the data recored in the logger even during detected





Download data Report

Download data recored and export excel file.

| | | | A CONTRACTOR OF A CONTRACTOR O | |
|--|--|------|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | 10.0 | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |





Alert and send message to 500 members per Group LINE



Connect to Smartphone for easy, Alert via LINE Notify

Use your smartphone to collect data even as signals are being logged. Check data immediately and on-site.

| | | 24 | | |
|---|--|--------|----------|---|
| | | | Ξ | |
| ۵ | InKnowSerial#1: COMMON TRBL F 1450:07 04/24/2019 P.01 C.02 205_1FL | | | |
| ۵ | InKnowSerial#1: COMMON TR8L / 1406:08.04/24/2019 P.01 C:02 Z05_1FL | | | |
| ۵ | InKnowSerial#1: COMMON TRBL P 14:10:54 04/24/2019 P:01 C:02 205_1FL | | | |
| ۵ | InKnowSerial#1: ALARM ACTIVE : 14:11:13 04/24/2019 P.01 C.02 ZD5_1FL | | | |
| ۵ | InKnowSerial#1:-OPERATOR COM 14:11:22: 04/24/2019 P:01 C:00 D Level0 ACTIVATE ALM SILENCE P.FFFFFFFFFFFFFFFFFFF C:00 D:000 | :00 LC |)- 10 | |
| ٩ | In KnowSenial#1:-OPERATOR COM 14:11:29 04/24/2019 P.01 C00 D Lewid ACTIVATE PNL SILENCE PERFEREFEREFEREFERE COD D000 | :00 LC | | 4 |
| 0 | | | ٢ | Ŷ |



Also use the IKA-RS232 as alert from Fire Alarm control Panel.

Install the IKA-RS232 in each place to be alert. Wiring to RS232 connected.

โคหกลพ

Alert in Real-Time. Use the Line Notify to easily carry out help you know observations when irregularities occur.

Fire Alarm Control Panel (FACP)



Head Office

14/4 Moo.6 Bang-korbua Subdistrict Phapadeang District Samutprakarn Zipcode 10130 Thailand TEL: (+66) 095-940-4147 E-mail : sale.pm2@gmail.com http://www.pm-io.com



Distribute By